



PIANO GUARD

LIST OF COMPONENTS (for a grandpiano 220 cm long)



INFORMATION PANEL

1 PCS.

Informs the users about e.g. necessity of refilling the water tank.



HUMIDIFIER

1 PCS.

Humidifier is activated immediately when the humidity level in the instrument is less than 45%.



DEHUMIDIFIER

3 PCS.

Dehumidifiers are activated immediately when the humidity level is beyond 65%.



CONTROL PANEL

1 PCS.

It is responsible for controlling the operation of all components of the device. It also communicates with the cloud application



SENSOR

3 PCS.

The system continuously measures the humidity and temperature of the air in the instrument.





TUBE

1 PCS.

The tube helps to refill the water tank.



CANISTER

1 PCS.

Water tank, thanks to which needed amount of water is poured to the water tank.



PAD

1 PCS.

Already in the humidifier. Preferably change after 3 max. 6 months.



HANGER

1 PCS.

Hanger helps with dehumidifier installation.



CABELS

7 PCS.

Kable łączące nawilżacz, osuszacze, czujniki, oraz panel informacyjny z płytą sterującą.



ANTI-ALGAE FLUID

1 PCS.

Anti-algae fluid (500ml). Does not contain chlorine.





ZIPPERS

2 SZT.

In order to tie too long cables up.



SCREWS

2 PCS.

Screws for information panel.



SCREWS

4 PCS.

For hanger installation..



SCREWS

14 PCS.

For installing dehumidifiers, sensors and control panel.



CHARGER

1 PCS.

In order to connect the device to electricity.



HOOKS

2 PCS.

In order to install the silicone tube.



The package should contain all the elements of the device listed in the table and the appropriate documents of the instructions and warranty card. If the package is not complete, please contact us by e-mail at: info@pianoguard.com or by phone: 0048 668187887. We will immediately send the missing elements.



www.pianoguard.com

info@pianoguard.com